

## Infection Control for Respiratory Care Post-Test

- 1) The most common Hospital Associated Infection is:
  - a) Surgical site
  - b) Ventilator-associated
  - c) Central line associated
  - d) Catheter associated UTI
  
- 2) Prions are responsible for all EXCEPT:
  - a) Mad cow
  - b) Kuru
  - c) Creutzfeldt-Jakob
  - d) HPV
  
- 3) Flies, mosquitos, & lice are examples of:
  - a) Pathogens
  - b) Vectors
  - c) Diseases
  - d) Microbes
  
- 4) The epidemiology observational study from 2014 showed what percentage of patients had at least 1 HAI?
  - a) 2%
  - b) 4%
  - c) 8%
  - d) 10%
  
- 5) When hands are not visibly dirty, which is the preferred method of cleaning?
  - a) Alcohol based hand sanitizer
  - b) Antiseptic soap
  - c) Non-antimicrobial soap
  - d) Water
  
- 6) Natural fingernail tips should be less than \_\_\_\_\_ of an inch long.
  - a) 1/8
  - b) 1/4
  - c) 1/2
  - d) 3/4

## Infection Control for Respiratory Care Post-Test

- 7) Patients who have conditions that are spread by large particle sizes such as flu & pertussis should be on what type of precautions?
- a) Standard
  - b) Droplet
  - c) Airborne
  - d) Contact
- 8) An example of a bioterror threat is:
- a) Influenza
  - b) SARS
  - c) Measles
  - d) Tularemia
- 9) The best defense against measles is:
- a) Hand washing
  - b) N-95
  - c) Contact isolation
  - d) Vaccination
- 10) Clostridium difficile, or C. diff., is treated with what type of precautions?
- a) Standard
  - b) Contact
  - c) Airborne
  - d) Droplet